FTD-ID(RS)T-1924-83

FOREIGN TECHNOLOGY DIVISION



THESES AND ANNOTATIONS OF A SCIENTIFIC AND TECHNICAL CONFERENCE OF PROFESSORS, INSTRUCTORS, GRADUATE STUDENTS, AND STUDENTS OF THE ENGINEERING DEPARTMENT (Selected Articles)



Approved for public release; distribution unlimited.

EDITED TRANSLATION

FTD-ID(RS)T-1924-83

23 April 1984

MICROFICHE NR:

FTD-84-C-000417

THESES AND ANNOTATIONS OF A SCIENTIFIC AND TECHNICAL CONFERENCE OF PROFESSORS, INSTRUCTORS, GRADUATE STUDENTS, AND STUDENTS OF THE ENGINEERING DEPARTMENT (Selected Articles)

English pages: 3

Source: Universitet Druzhby Narodov imeni Patrisa Lumumby,

Tezisy i Annotatsii Nauchno-Tekhnicheskoy Konferentzii Professorov, Prepodaveteley, Aspirantov i Studentov Inzhenernogo Fakul'teta, Moscow, 1966, pp. 164-165

Country of origin: USSR Translated by: Carol S. Nack

Requester: AEDC/IN

Approved for public release; distribution unlimited.

THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPIMON OF THE FOREIGN TECHNOLOGY DIVISION,

PREPARED BY:

TRANSLATION DIVISION FOREIGN TECHNOLOGY DIVISION WP-AFB, ONIO.

FTD-ID(RS)T-1924-83

Date23 April 19 84

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

_	Table of Contents.		
	U.S. Board on Geographic Names Transliteration System	ii	
	High-Speed Cutting of Level Mine Workings; by V. A. Raskin	1	
)	Investigations of Movements of Wall Rocks When Working Thick Sloping Seams With Inclined Layers Using the "KTU" Support, by Levendra Natkh Tkhakur	2	
	Accession For 1255 R. Ryman Len	betrology grage	ļ
	MINIS CDART F		

Acces	sion For		
NTIS	GRA&I	d	
DTIC	TAB	8	
Unaunounced Justification			
Ava			
D4	[Avail and	•	
Dist	Special	•	
	1 1		
1	リカスト		



U. S. BOARD ON GEOGRAPHIC NAMES TRANSLITERATION SYSTEM

Block	Italic	Transliteration	Piock	Italic	Transliteration
A a	A e	A, a	Рр	P ,	R, r
5 6	5 ¢	B, b	C c	C .	S, s
B .	8 •	V, v	TT	T m	T, t
Гг	<i>r</i> .	G, g	Уу	у,	U, u
Дд	<i>n</i> •	D, d	Φ φ	• •	P, f
E .	E .	Ye, ye; E, e*	Х×	Xx	Kh, kh
M m	X ×	Zh, zh	Цц	4 4	Ts, ta
З з	3 ;	2, z	4 4	4 4	Ch, ch
Ин	H w	I, 1	W w		Sh, sh
Йй	A s	Y, y	Щщ	# #	Shoh, shuh
H n	KK	K, k	b b	3 1	n
Л	ЛА	L, 1	H m	W w	Y, y
Pi er	M M	M, m	ы - ь		1, J
Ни .	H ×	N, n	3 >	• ·	7
C o	0 •	0, 0	NU so	<i>D</i> .	E, e
Пп	<i>[</i>] #	P, p	Яя	# A	Yu, yu Ya. va

The initially, after vowels, and after \mathbf{b} , \mathbf{b} ; \mathbf{e} elsewhere. When written as $\tilde{\mathbf{e}}$ in Russian, transliterate as $\mathbf{y}\tilde{\mathbf{e}}$ or $\tilde{\mathbf{e}}$.

RUSSIAN AND ENGLISH TRIGONOMETRIC FUNCTIONS

Russian	English	Russian	English	Russian	English
sin	sin	sh	sinh	arc sh	$sinh^{-1}$
cos	cos .	ch	cosh	are ch	- 1
tg	tan	th	tanh		cosh_1
ctg	cot	cth	coth	arc th	tanh_1
Sec	sec	sch		arc cth	coth_i
cosec			sech	arc sch	sech_;
COSEC	CSC	csch	csch	l arc csch	csch ⁻¹

Russian	English		
rot	curl		
1 g	log		

GRAPHICS DISCLAIMER

All figures, graphics, tables, equations, etc. merged into this translation were extracted from the best quality copy available.

HIGH-SPEED COTTING OF LEVEL MINE WORKINGS

V. A. Raskin

The report considers problems of organizing work, scientific research and new technology for cutting level workings.

The modern process of high-speed cutting of mine workings cannot be organized without carefully analyzing different cutting methods. In the report, a great deal of attention is given to the determination of the correct number of workers in the shaft sinking erew, the expedient organization of the supply of materials, servicing of the machines, mechanisms and equipment, conducting explosive work, the selection of rational forms of the cycle of operation, and the use of mucking organizations.

The report gives examples of the organization of high-speed cutting of level workings in the USSR and other states.

INVESTIGATIONS OF MOVEMENTS OF WALL ROCKS WHEN WORKING THICK SLOPING SEAMS WITH INCLINED LAYERS USING THE "KTU" SUPPORT

Levendra Natkh Tkhakur (India)

The report gives the results of studies, made using models made of equivalent materials, of the possibility of working a plate 10 m thick lying at a depth of 500 m from the surface and having a system of inclined layers using the KTU [tr. note: expansion unknown] under conditions of the Djakarta field (India).

The following were measured on the models: the displacements of the immediate and main roof, the deformation of the coal floor when working the upper level, and the rate of movement of the roof in the spaces near the face on the upper and lower levels. It was established that it suffices to have a KTU with a fixed resistance of a ound 10 t/m^2 when working the lower level for supporting the roof.

Special attention is given in the report to the dynamics of the bearing pressure in front of the face and its change as the shaft space is widened. Measurements of the deformation of the coal floor when working the upper level showed the periodic nature of the movement of the floor in front of the face and its bulging into the mined space.

The author establishes the expediency of using this system under

the conditions of the Djakarta field (India). A number of suggestions are given for using the system when working gas-bearing seams.